

EH341

Full HD 1080p, Bright and Portable

- Bright vivid colours 3500 ANSI lumens
- High contrast 20,000:1 contrast ratio
- Full HD 1080p image quality
- Easy connectivity 2x HDMI and MHL support and built-in 10W speaker























EH341

Full HD 1080p, Bright and Portable

The EH341 couples 1080p high resolution with bright, vibrant visuals to produce pin sharp graphics and crystal clear text – ideal for use in a meeting room or classroom.

With a built-in speaker and two HDMI inputs the EH341 is easy to setup and use. It can even be turned into a smart projector by connecting a smartphone or tablet with a single cable using MHL to view presentations and documents, stream videos and share images on the big screen.

High Contrast

Add more depth to your image with a high contrast projector; with brighter whites and ultra-rich blacks, images come alive and text appears crisp and clear - ideal for business and education applications.





Full 3D

Optoma projectors can display true 3D content from almost any 3D source, including 3D Blu-ray players, 3D broadcasting and the latest generation games consoles.



Integrated speaker

The built-in speaker offers excellent audio support. Easy to set up without the need for costly external speakers.

Eco+



Eco+ technology brings together high contrast, improved lamp life and energy saving features that are easy to use while reducing power consumption.

Energy saving

Using the specially designed lamp modes, you can reduce the power consumption by up to 70%. Each mode also has a positive effect on the lamp life, while lowering the total cost of ownership and reducing maintenance.

Auto power off

There may be instances when the projector is left running when not in use. To help save energy if the projector is left running and no source is detected, the "Auto power off" feature automatically turns off the projector after a set period of time.

Eco AV mute

Stay in control of your presentation with Eco AV mute. Direct your audience's attention away from the screen by blanking the image when no longer needed. This also reduces the power consumption by up to 70%, further prolonging the life of your lamp.





USB power

Use the USB-Power to power an HDMI dongle, such as Google Chromecast or the Optoma WHD200 wireless HDMI device.

Quick resume

This feature allows the projector to be instantly powered on again, if it is accidentally switched off.

Reduce the number of lamp changes with lamp life of up to 7000 hours²

Control

Featuring a wide range of options you can remotely control and monitor the projector.

RS232

Optoma projector's come with an extensive set of RS232 commands making it simple and easy to manage using any control system.

AMX Compatibility

Dynamic discovery protocol is incorporated into the projector allowing for easy installation with AMX control systems.

Colour Guarantee

We are so confident that the image colour quality will remain as good as the day you bought it that Optoma will guarantee it for five years.





Amazing Colour

Give powerful presentations and educational lessons with stunning colours. Optoma projectors provide you with reliable colour performance suitable for any content and environment. From accurate sRGB colours for true life like images to vibrant punchy presentations. We have a display mode to specific meet your needs.





MHL connectivity

Turn your projector into a smart display by connecting your smartphone or tablet with a single cable using MHL; now you can view presentations and documents, stream videos and share photos on the big screen.



Full HD 1080p

1080p resolution gives you sharp and detailed images from HD content without downscaling or compression; perfect for watching movies, viewing photos and documents.



Wireless presenting (optional extra)

Making presentations couldn't be easier using the optional wireless features of the WPS Wireless Adapter (sold separately) - you can connect and display presentations wirelessly from a laptop, PC or mobile device.

Specification

Display Technology Single 0.65° DarkChip 3 1080p DLP® Technology by Texas Instruments Resolution 1080p 1920 x 1080 Brightness¹ (Bright Mode) 3500 ANSI Lumens Contrast 20,000:1 Lamp Life² Eco+/Dynamic/Eco/Bright 7000/6500/6000/4000 (hrs) Throw Ratio 1.48 - 1.62:1 Zoom Type 1.1x Manual I/O Connectors 2 x HDMI (1.4a 3D support) + MHL v1.2, VGA (YPbPr), RS232, USB mouse/service, USB-A Power Speaker (Watts) 10 Keystone Correction ± 30° Vertical Weight (kg) 2.55 Dimensions (W x D x H) (mm) 315 x 224 x 102 Aspect Ratio 16:9 Native, 4:3 Compatible Offset 116% ±5% Projection Screen Size 1.06 - 7.75m (41.8° - 305°) Diagonal 16:9 Projection Lens 1.5 - 10m Projection Lens 1.5 - 10m Uniformity 80% Maximum Resolution 1080p Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility 1080p, 1080i, 720p, 576i/p, 480i/p 3D Compatibility 1080p, 1080i, 720p, 576i/p, 480i/p </th <th></th>	
Contrast 20,000:1	
Contrast 20,000:1 Lamp Life ² Eco+/Dynamic/Eco/Bright 7000/6500/6500/6000/4000 (hrs) Throw Ratio 1.48 - 1.62:1 Zoom Type 1.1x Manual I/O Connectors 2 x HDMI (1.4a 3D support) + MHL v1.2, VGA (YPbPr), RS232, USB mouse/service, USB-A Power Speaker (Watts) 10 Keystone Correction ± 30° Vertical Weight (kg) 2.55 Dimensions (W x D x H) (mm) 315 x 224 x 102 Aspect Ratio 16:9 Native, 4:3 Compatible Offset 116% ±5% Projection Screen Size 1.06 - 7.75m (41.8° - 305") Diagonal 16:9 Projection Lens 1.5 - 10m Projection Lens F/2.5 - 2.67; f=21.9 - 24mm, 1.1x Manual Zoom Uniformity 80% Maximum Resolution 1080p Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility 1080p, 1080i, 720p, 576ip, 480ip 3D Compatibility 1080p, 1080i, 720p, 576ip, 480ip 3D Compatibility Side-by-Side:1080iSi o Fo, 720p50 / 60 Frame-pack: 1080p24,	
Throw Ratio 1.48 - 1.62:1	
Throw Ratio 1.48 - 1.62:1	
Zoom Type	
I/O Connectors	
Speaker (Watts)	
Keystone Correction ± 30° Vertical Weight (kg) 2.55 Dimensions (W x D x H) (mm) 315 x 224 x 102 Aspect Ratio 16:9 Native, 4:3 Compatible Offset 116% ±5% Projection Screen Size 1.06 - 7.75m (41.8" - 305") Diagonal 16:9 Projection Distance 1.5 - 10m Projection Lens F2.5-2.67; f=21.9~24mm, 1.1x Manual Zoom Uniformity 80% Maximum Resolution 1080p Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility 1080p, 1080i, 720p, 576i/p, 480i/p 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applic with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blurgames from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specifics 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Horizontal Scan Rate 15.375-91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D)	
Weight (kg) 2.55 Dimensions (W x D x H) (mm) 315 x 224 x 102 Aspect Ratio 16:9 Native, 4:3 Compatible Offset 116% ±5% Projection Screen Size 1.06 - 7.75m (41.8" - 305") Diagonal 16:9 Projection Distance 1.5 - 10m Projection Lens F/2.5~2.67; f=21.9~24mm, 1.1x Manual Zoom Uniformity 80% Maximum Resolution 1080p Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility 1080p, 1080i, 720p, 576i/p, 480i/p 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applic with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-r games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specifical 3D Compatibility 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Nover-Under: 1080p24, 720p50 / 60 Horizontal Scan Rate 15.375-91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D)	
Dimensions (W x D x H) (mm) 315 x 224 x 102 Aspect Ratio 16:9 Native, 4:3 Compatible Offset 116% ±5% Projection Screen Size 1.06 - 7.75m (41.8" - 305") Diagonal 16:9 Projection Distance 1.5 - 10m Projection Lens F/2.5-2.67; f=21.9~24mm, 1.1x Manual Zoom Uniformity 80% Maximum Resolution 1080p Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility 1080p, 1080i, 720p, 576i/p, 480i/p 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applic with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blurgames from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specifical 3D Compatibility 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Horizontal Scan Rate 15.375~91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D)	
Aspect Ratio Offset 116% ±5% Projection Screen Size 1.06 - 7.75m (41.8" - 305") Diagonal 16:9 Projection Distance 1.5 - 10m Projection Lens F/2.5~2.67; f=21.9~24mm, 1.1x Manual Zoom Uniformity 80% Maximum Resolution Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility 1080p, 1080p, 720p, 576i/p, 480i/p 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applic with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blugames from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specifical 3D Compatibility Side-by-Side:1080p24, 720p50 / 60 Prame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Horizontal Scan Rate 15.375~91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D)	
Offset 116% ±5% Projection Screen Size 1.06 - 7.75m (41.8" - 305") Diagonal 16:9 Projection Distance 1.5 - 10m Projection Lens F/2.5~2.67; f=21.9~24mm, 1.1x Manual Zoom Uniformity 80% Maximum Resolution Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility 1080p, 1080p, 720p, 576i/p, 480i/p 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applic with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blugames from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specifical 3D Compatibility Side-by-Side:1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Horizontal Scan Rate 15.375~91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D)	
Projection Screen Size 1.06 - 7.75m (41.8" - 305") Diagonal 16:9 Projection Distance 1.5 - 10m Projection Lens F/2.5~2.67; f=21.9~24mm, 1.1x Manual Zoom Uniformity 80% Maximum Resolution Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility 1080p, 1080p, 1080i, 720p, 576i/p, 480i/p 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applic with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blurgames from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specifical 3D Compatibility Side-by-Side: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Horizontal Scan Rate 15.375~91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D)	
Projection Distance 1.5 - 10m Projection Lens F/2.5~2.67; f=21.9~24mm, 1.1x Manual Zoom Uniformity 80% Maximum Resolution Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applic with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blurgames from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specifical 3D Compatibility Side-by-Side: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Horizontal Scan Rate 15.375~91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D)	
Projection Lens F/2.5~2.67; f=21.9~24mm, 1.1x Manual Zoom Uniformity 80% Maximum Resolution 1080p Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility 1080p, 1080i, 720p, 576i/p, 480i/p 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applic with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-r games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specifical 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Horizontal Scan Rate 15.375~91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D)	
Uniformity 80% Maximum Resolution 1080p Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility 1080p, 1080i, 720p, 576i/p, 480i/p 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applic with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-r games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specifical 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Horizontal Scan Rate 15.375~91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D)	
Maximum Resolution Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility 1080p, 1080i, 720p, 576i/p, 480i/p 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applic with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-r games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specifica 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Horizontal Scan Rate 15.375~91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D)	
Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility 1080p, 1080i, 720p, 576i/p, 480i/p 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applic with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-r games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specifica 3D Compatibility Side-by-Side:1080ip24, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Horizontal Scan Rate 15.375~91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D)	
Video Compatibility 1080p, 1080i, 720p, 576i/p, 480i/p 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applic with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-rgames from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specifical 3D Compatibility Side-by-Side:1080ip24, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Horizontal Scan Rate 15.375~91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D)	
3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applic with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-rgames from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specifics 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Horizontal Scan Rate 15.375~91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D)	
Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Horizontal Scan Rate 15.375~91.146 KHz Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D)	ay 3D™ and 3D
Vertical Scan Rate 24 ~ 85Hz (120Hz for 3D)	
1000 41100	
Displayable Colours 1073.4 Million	
Noise Level (Eco mode) 29dB	
Power Supply Input: 110 - 220v	
Power Consumption 249W Bright mode / 194W Eco mode (< 0.5W Standby)	
Lamp Type 210W	
Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m	
Security Security Security bar, Kensington lock, password protection	
On Screen Display 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Da Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Cze Vietnamese, Farsi, Romanian, Indonesian	
Standard Accessories AC power cord, remote control, 2x AA batteries, quick start card, CD user manual	
Optional Accessories carry bag, lens cap, DLP® Link™ 3D glasses, wireless, ceiling mount	
Optional Wireless Yes	
RoHS Compliant	
DICOM Simulation Mode Yes	



Optoma Europe Ltd. 1 Bourne End Mills, Hemel Hempstead, Hertfordshire HP1 2UJ, UK www.optoma.co.uk

¹Lamp based projectors brightness and lifetime will vary depending on selected projector mode, environmental conditions and usage. As is common with all lamp based projectors, brightness will decrease over the lamp lifetime. LED projectors do not have a replaceable lamp and the brightness does not decay significantly over the product lifetime. ²Typical lamp life achieved through testing. Will vary according to operational use and environmental conditions. DLP®, and the DLP logo are registered trademarks of Texas Instruments. All other product names and company names used herein are for identifications purposes only and may be trademarks or registered trademarks of their respective owners. All images of products are for representation purposes only. Whilst every care is taken to provide accurate images of our products, actual products may differ slightly. Some product images may have been digitally altered by us to add an Optoma logo to the front panel. Optoma reserves the right to amend or alter actual product or product images without notice. Some images may have been simulated. Errors and omissions excepted, all specifications are subject to change without notice. Copyright © 2015, Optoma Europe Ltd.

Copyright © 2017, Optoma Europe Limited. Optoma, NuForce and Nu are registered trademarks of Optoma Corporation. Optoma

Copyright © 2017, Optoma Europe Limited. Optoma, NuForce and Nu are registered trademarks of Optoma Corporation. Optoma Europe Limited is the licensee of the registered trademarks. All other product names and company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners. Errors and omissions excepted, all specifications are subject to change without notice. DLP®, BrilliantColor™ and the DLP logo are registered trademarks of Texas Instruments. All images are for representation purposes only and may be simulated. All content on this site is protected by copyright.

Privacy Terms and conditions

Registered Office: 1 Bourne End Mills, Hemel Hempstead, Hertfordshire HP1 2UJ, UK. Registered No. 3399395

19/10/2017 14:55